

Transmission distance of a single-core optical cable

Preview

Depending on the transceiver and wavelength used, single mode fiber can transmit data over distances of 40 kilometers to well over 100 kilometers before requiring signal amplification or regeneration. Is single mode fiber future-proof for higher network speeds? Yes. Transmission distance decreases as the bandwidth increases. Attenuation is the progressive loss of signal strength that occurs as light travels through the fiber. The greater the distance, the greater. In fiber-optic communication, a single-mode optical fiber, also known as fundamental- or mono-mode, is an optical fiber designed to carry only a single mode of light - the transverse mode.

This document outlines the specifications for a single-mode optical fiber and cable designed for use around the 1310 nm zero-dispersion wavelength, suitable for

Qinhuangdao Wolf Cable Co., Ltd. is a leading cable manufacturer specializing in ADSS fiber optic cables, established in 2016 in Hebei, China. The company offers high-performance aerial

This guide explores the key factors affecting fiber optic transmission distance and provides practical selection guidelines for a stable and cost-effective network

In this blog, I will discuss the fiber optic cable distance, the effect factors, how to choose the right fiber optic cables, and how to compare the

Small Form-factor Pluggable Small Form-factor Pluggable connected to a pair of fiber-optic cables Small Form-factor Pluggable (SFP) is a compact, hot

Typically OPGW cables contain single-mode optical fibers with low transmission loss, allowing long distance transmission at high speeds. The outer appearance of OPGW is similar to aluminium

Key deployment considerations include verifying MFS1S00-H020V compatible hardware - the cable is qualified for all NVIDIA Mellanox HDR InfiniBand switches and adapters, including

Fiber optic cables are the backbone of modern communications, enabling high-speed data transfer over vast distances. Unlike traditional copper

The global Ribbon Fiber Optic Cable Market reached USD 1,703 Million in 2025 and is projected to grow to USD 2,956.68 Million, at a CAGR of 8.2%. Ribbon fiber optic cables consist of multiple ...

Transmission distance of a single-core optical cable

OS1 single mode fiber optic cables are made with a single mode fiber core, which means that they have a very small core diameter of 9 microns. This allows the

B2B Communication Optical Cable Procurement Guide May 16, 2026 Core technical parameters that engineers need to know Before conducting a thorough evaluation of suppliers, the

Passive optical network A fiber optic cable assembly with SC APC connectors, as commonly used to link optical network terminals to passive optical networks A

In fiber-optic communication, a single-mode optical fiber, also known as fundamental- or mono-mode, is an optical fiber designed to carry only a single

What Are The Main Advantages of Using Fiber Optic Cabling?What Fiber Optic Cable Range Do You Need?How Does Fiber Optic Cable Range Work?What Is The Maximum Distance of Fiber Optic Cable?Is Fiber-Optic Good For Long distances?What Is The Maximum Distance of Single-Mode vs. Multimode Fiber Optic?What Is The Maximum Transmission Distance of Copper?How Can You Get The Most Out of Your Fiber Optic Cable range?Contact The Network Installers TodayThere are two main different types of fiber optic cable: single-mode fiber and multimode fiber cable. Single-mode is typically used for long-distance applications, while multimode is typically used for short distances. The maximum distance for single-mode fiber optic cable can extend up to several hundred kilometers, making it ideal for long-distan...See more on thenetworkinstallers.com/#b_results

```
.b_vidAns{border-radius:6px;box-shadow:0 0 0 1px
rgba(0,0,0,.05);padding:16px 20px;gap:10px;background:#fff}@charset "UTF-8";#b_results
.b_ans.b_vidAns{box-shadow:none!important;padding:var(--smtc-gap-between-content-medium)
0!important;background:var(--bing-smtc-background-ctrl-fade-on-image-stop-0)}#b_results #serpvidans.vsacf
.mc_vtvc,#b_results #serpvidans.vsacf .mc_vtvc_th,#b_results #serpvidans.vsacf .cico,#b_results
#serpvidans.vsacf .mc_vtvc_htb,#b_results #serpvidans.vsacf .vrhc,#b_results #serpvidans.vsacf
.vrhcp,#b_results #serpvidans.vsacf .vrhtc,#b_results #serpvidans.vsacf
.vrhtpc{border-radius:var(--mai-smtc-corner-card-default)}#b_results #serpvidans.vsacf .mmlist
.mc_vtvc,#b_results #serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta{margin:0}#b_results
#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_channel,#b_results #serpvidans.vsacf
.mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_row_channel{color:var(--smtc-foreground-content-neutral-primary)}#serpvidans.vsacf,#serpv
idans.vsacf .expctn .expbody,#serpvidans.vsacf
.mmlist{display:flex;flex-direction:column;gap:var(--smtc-gap-between-content-medium)}#serpvidans.vsacf
.cico{height:auto}#serpvidans.vsacf .mc_vtvc_ban_lo{top:0;right:auto}#serpvidans.vsacf .mc_cwvc .mc_vtvc
.mc_vtvc_meta,#serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta{height:auto;padding:var(--smtc-gap-between-content-xx-small) 0
var(--smtc-gap-between-content-xx-small)
var(--smtc-gap-between-content-medium);display:flex;flex-direction:column;justify-content:space-between}#
```



Page 3/11

Transmission distance of a single-core optical cable

```
.mv_vtvc_play_ext{position:static}#serpvidans.vsacf .va_tt
.mc_vtvc_ban_lo{display:block}#serpvidans.vsacf
.mc_bc{width:auto;border-radius:var(--smtc-ctrl-badge-sm-corner);padding:var(--smtc-padding-ctrl-text-side)
var(--smtc-gap-between-content-xx-small)}#serpvidans.vsacf .rmts
.mc_bc.items{display:none}#serpvidans.vsacf
a.vsb_tr_t{color:var(--smtc-foreground-content-neutral-primary)}.vsacf .va_tt .vsb_tr_chd
.mc_vtvc_th_dock.rmoverlay{height:36px}.vsacf.vsasa .va_tt .vsb_tr_chd
.mc_vtvc_th_dock.rmoverlay{height:0}.vsacf .va_tt .vsb_tr_chd
.mc_vtvc_th_dock{height:92px;position:absolute;bottom:0;background:linear-gradient(180deg,var(--bing-smt
c-background-ctrl-fade-on-image-stop-0) 0%,var(--mai-smtc-background-ctrl-on-image-rest) 100%)}.vsacf
.va_tt a.vsb_tr_t{padding:0 0;font:var(--bing-smtc-text-global-body-2-alt-strong)}.vsacf .va_tt .vsb_tr_chd
.mc_vtvc .mc_vtvc_meta,.vsacf .va_tt .vsb_tr_chd .mc_vtvc
.mc_vtvc_title{color:var(--mai-smtc-foreground-ctrl-on-image-rest)}.vsasa .va_tt .vsb_tr_chd .mc_vtvc_tot
.mc_vtvc_meta{padding:var(--smtc-gap-between-content-medium) var(--smtc-gap-between-content-x-small)
var(--smtc-gap-between-content-x-small);background:linear-gradient(180deg,var(--bing-smtc-background-ctrl
-fade-on-image-stop-0) 0%,var(--mai-smtc-background-ctrl-on-image-hover) 43%)}.vsacf
span.vcmt_ctt{font:var(--bing-smtc-text-global-caption2);margin:var(--smtc-gap-between-content-xx-small) 0
0;height:16px}#serpvidans.vsacf .vsb_tr_chd .mc_vtvc_tot .mc_vtvc_title
strong{font:var(--bing-smtc-text-global-caption1-strong);color:var(--mai-smtc-foreground-ctrl-on-image-rest)
}#serpvidans.vsacf .va_tt .b_sldrp
.slide:not(:first-child){margin-left:var(--smtc-gap-between-content-small)}#serpvidans.vsacf .va_tt
.vsb_tr_chd .mc_vtvc
.mc_vtvc_title{white-space:normal;display:-webkit-box;-webkit-line-clamp:1;-webkit-box-orient:vertical}.vsa
cf .b_title:not(:first-child):has(+div)
.mmtitle{font:var(--bing-smtc-text-global-body-2-alt-strong)}#serpvidans.vsacf .revqpm+.va_tt
.mm_vrc{padding-top:0}#serpvidans .va_tt .slide,#serpvidans .mc_vtvc_th,#serpvidans .mc_vtvc_th
.cico{border-radius:var(--mai-smtc-corner-card-default)!important}#serpvidans.vsacf
.b_module_expansion_control .b_btnContainer
.b_CompactExpansion{background-color:var(--bing-smtc-background-ctrl-neutral-rest);display:flex;justify-co
ntent:center;align-items:center;gap:4px;width:fit-content;height:auto;padding:8px 12px}#serpvidans.vsacf
.b_module_expansion_control .b_btnContainer .b_CompactExpansion
.b_CompactExpansionBtnText{font:var(--bing-smtc-text-global-caption1-strong);color:var(--bing-smtc-foregr
ound-content-brand-rest)}#serpvidans.vsacf .b_module_expansion_control .b_btnContainer
.b_CompactExpansion .b_arrow{display:flex;margin:0;height:auto}#serpvidans.vsacf
.b_module_expansion_control .b_btnContainer .b_CompactExpansion .b_arrow
path#Shape{fill:var(--bing-smtc-foreground-content-brand-rest)}#serpvidans.vsacf
.b_module_expansion_control
.b_btnContainer::after{content:"";position:absolute;width:100%;bottom:20px;left:0;height:1px;border-radius:
1px;background:var(--smtc-stroke-ctrl-on-neutral-rest)}#b_results
.b_ans.b_vidAns{box-shadow:none;padding:12px 20px 0}#b_results .b_ans.b_vidAns
```

Transmission distance of a single-core optical cable

```
.vasac{padding:unset;margin:0}#b_results .b_ans.b_vidAns .vsa .b_attribution{padding-bottom:0}#b_results
.b_ans.b_vidAns .cardless .salink{margin:0}#b_results .b_ans.b_vidAns .mmlist
.mc_vtvc{margin-top:10px}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc
.mc_vtvc_meta{display:flex;flex-direction:column;justify-content:space-between;margin:0 10px 4px
12px}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_channel{color:#111}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_row_channel,#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{color:#666}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{bottom:0;height:unset}.b_dark .vsa.cardless
.mc_vtvc{background-color:unset}.mmtitle>a{display:block}.mc_fh{height:100%;border-radius:6px}.mc_tc_
bs{overflow:hidden}.mmlist .mc_vtvc .mc_vtvc_meta { padding: 12px 16px 16px 16px; } .mmlist .mc_vtvc
.mc_vtvc_meta_w { height: 112px; margin-top: -0px; } .mmlist .mc_vtvc .mc_vtvc_title { height: 44px;
line-height: 22px; margin-bottom: 0px; margin-top: 0px; } .mmlist .mc_vtvc .mc_vtvc_meta_block_area {
height: 40px; } .mmlist .mc_vtvc .vtmu, .mmlist .mc_vtvc .vtpl { bottom: 120px; } .mmlist .mc_vtvc_th_dock
{ height: 112px; } .mmlist .mc_vtvc_th .cico { height: 131px; }
.mc_vtvc{background-color:var(--smtc-background-card-on-primary-default-rest);box-shadow:0 0 0 1px
rgba(0,0,0,.05);line-height:0;margin:0;position:relative;border-radius:6px;overflow:hidden}.mc_vtvc.noshado
w{box-shadow:none}.mc_vtvc_con_rc{border-radius:6px;overflow:hidden;position:relative}.mc_vtvc>a{colo
r:#71777d;display:block;text-decoration:none;width:100%}.mc_vtvc>a:focus-visible::after{outline:2px solid
var(--smtc-ctrl-focus-outer-stroke);width:100%;height:100%;content:"";outline-offset:-2px;position:absolute;to
p:0;left:0}.mc_vtvc_th{background-color:#d5d5d5;position:relative}.mc_vtvc_th
.cico{border-radius:0}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{position:absolute;vertical-align:middle}.mc_vtvc_
ban_lo{bottom:0}.mc_vtvc_ban_up{top:0}.mc_vtvc_title{font-weight:normal;margin-bottom:11px;overflow:
hidden;color:#111;height:calc(3*18px);line-height:18px}.mc_vtvc_title
a{display:inline-block;color:#111}.mc_vtvc_title
a:hover{text-decoration:underline}.mc_vtvc_src_ico{float:left;margin-right:4px}.mc_vtvc_act{height:16px;m
argin-top:-40px;padding:12px
8px;z-index:1}.mc_vtvc_actc{right:16px;bottom:16px;position:absolute;display:inline-block;z-index:1}.mc_v
tvc_act_sep{border-top:1px solid #d5d5d5;height:40px;margin:0 8px}.mc_vtvc_fh
.mc_vtvc_act_sep,.mc_vtvc_fh .mc_vtvc_act{visibility:hidden}#serpvidans
.b_topTitle{margin-bottom:8px}.mc_vtvc_htc{width:100%;height:100%;position:absolute;top:0;bottom:0;left
:0;right:0}.mc_vtvc_htb{width:100%;height:100%;background:rgba(0,0,0,.7);position:absolute;top:0;bottom:
0;left:0;right:0}.mc_vtvc_ht{width:100%;padding:0
16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vert
ical-align:middle;text-align:center}.mc_vtvc_th_live_b{background-color:#c80000;color:#fff;display:inline-bl
ock;padding:2px 8px;font:11px/14px
Arial;border-radius:2px;text-transform:uppercase;height:15px;width:26px;position:absolute;left:8px;top:110p
x}.isvctrl .isv
.mc_vtvc_ban_up{left:0;right:initial}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{right:0}.vt_text.b_lRight
.b_lLeft{margin:0 0 0 1px;height:14px;line-height:14px;padding:2px
```

Transmission distance of a single-core optical cable

```
8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.mc_vthtb{width:100%;height:100%;background:rgba(0,0,0,.7);position:absolute;top:0;bottom:0;left:0;right:0;display:table}.mc_vtht{width:100%;padding:0
16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vertical-align:middle;text-align:center;display:table-cell}.vt_text.b_lRight      .b_lLeft{margin:0      0      0
1px;height:14px;line-height:14px;padding:2px
8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.emptyStyleForDebuggingPurpose{top:0
}.emptyStyleForDebuggingPurpose{top:0}.mc_vtvc_center_play{width:32px;height:32px;background-size:cover;position:absolute;margin:auto;bottom:0;top:0;left:0;right:0;box-shadow:none;border-radius:0}.mc_vtvc_center_play.rmvbg{width:32px;height:32px;background-image:none}.mc_vtvc_htb,.mc_vtvc_ht{display:none}.vt_onhv      .mc_vtvc_htb{display:table}.vt_onhv
.mc_vtvc_ht{display:table-cell}.mc_vtvc_center_play{display:inline-block}.vt_onhv
.mc_vtvc_center_play{display:none}.mc_vtvc      .vtmu,.mc_vtvc      .vtpl{bottom:163px}.vsarf      .mc_vtvc
.vtmu,.vsarf      .mc_vtvc      .vtpl{bottom:122px}.svarh      #mmcar      .mc_vtvc      .vtmu,.svarh      #mmcar      .mc_vtvc
.vtpl{bottom:137px}.svarht      #mmcar      .mc_vtvc      .vtmu,.svarht      #mmcar      .mc_vtvc
.vtpl{top:8px;left:8px}.mc_vtvc_center_play{background-image:url(data:image/svg+xml,%3Csvg%20width%3D%2232%22%20height%3D%2232%22%20viewBox%3D%220%200%2032%2032%22%20fill%3D%22none%22%20xmlns%3D%22http%3A%2F%2F%2F2000%2Fsvg%22%3E%0D%0A%20%20%20%20%3Crect%20width%3D%2232%22%20height%3D%2232%22%20rx%3D%2216%22%20fill%3D%22black%22%20fill-opacity%3D%220.6%22%2F%3E%0D%0A%20%20%20%20%3Cpath%20d%3D%22M14.2354%2010.1923C13.2355%209.62986%2012%2010.3524%2012%2011.4997V20.5C12%2021.6472%2013.2355%2022.3698%2014.2354%2021.8073L22.2356%2017.3073C23.2551%2016.7339%2023.2551%2015.2661%2022.2357%2014.6926L14.2354%2010.1923Z%22%20fill%3D%22white%22%20fill-opacity%3D%220.9%22%2F%3E%0D%0A%3C%2Fsvg%3E)}.mmlist      .mc_vtvc{margin:10px      1px      0}.mmlist
.mc_vtvc_con_rc{display:flex}.cardless      .mmlist      .mc_vtvc_con_rc{height:112px}.mmlist      .mc_vtvc
.mc_vtvc_meta{display:flex;flex-direction:column;justify-content:space-between;margin:0      10px      4px
12px;padding:0}.mmlist
.mc_vtvc_title{font-weight:400;font-size:16px;height:44px;line-height:22px;margin-bottom:0;margin-top:0;color:unset}.mmlist      .mc_vtvc_meta_row{font-size:13px}.mmlist      .mc_vtvc
.mc_vtvc_meta_block_area{height:unset}.mmlist      .mc_vtvc      .vtmu,.mmlist      .mc_vtvc
.vtpl{bottom:8px}.cardless      .mmlist      .mc_vtvc{box-shadow:none}.cardless.mmlist
.mc_vtvc_center_play{width:32px;height:32px}.cardless.mmlist
.mc_vtvc_title{font-size:16px;color:unset}.cardless.mmlist
.mc_vtvc_meta_row{line-height:20px}.cardless.mmlist
.mc_vtvc_meta_pubdate{padding-bottom:2px;color:#666}.cardless.mmlist      .mc_vtvc_th,.cardless.mmlist
.mc_vtvc_th      .cico,.cardless.mmlist      .mc_vtvc_th      div.rms_img{border-radius:6px}.cardless.mmlist
.mc_vtvc_th{height:111px}.cardless.mmlist
.mc_vtvc_htc{border-radius:6px;overflow:hidden}#serpvidans.vasac.cardless{box-shadow:none}.cardless.mmlist
.mc_bc{padding:2px      8px;line-height:14px;border-radius:2px;font-weight:normal}.mmlist
.mc_vtvc: hover
```



Page 7/11

Transmission distance of a single-core optical cable

```
8px;line-height:14px;color:#fff;display:inline-block;vertical-align:middle;border-radius:2px;font-weight:bold}
.mc_bc_w .pivot{text-align:center;margin-right:1px;height:14px}.vsarr .mmgrid .mc_bc_w
.mc_bc{background-color:rgba(0,0,0,.75);opacity:1}.mmsi{height:16px;width:16px;position:relative;top:5px;
padding-right:var(--smtc-gap-between-content-xx-small)}.mmsi-microsoftnews,.mmsi-msn{top:3px}.vrhdata
{display:none}.mmgrid>div{width:197px;display:inline-block;margin-right:8px;margin-bottom:8px;box-shad
ow:0 0 0 1px
rgba(0,0,0,.05);position:relative;vertical-align:top;overflow:hidden;white-space:normal;border-radius:6px}.vs
arr .mmgrid>div,.vsarr1stbig .mmgrid>div{margin-right:8px;margin-bottom:8px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta{height:auto}#serpvidansrr .mc_vtvc
.mc_vtvc_title{display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}.mmgrid
.mc_tc{border:0}.vsa .mmgrid>div:nth-child(3n){margin-right:0}.vsa
.b_moreLink{padding-top:4px}#serpvidansrr
.mc_vtvc_meta_row{line-height:18px;font-size:100%;height:17px}.vsarr
.mmgrid>div:nth-child(2n){margin-right:0}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:128px}.vsarr1stbig .mmgrid>div:nth-child(2){margin-right:0}#serpvidansrr.uipolish
.mc_vtvc_meta_pubdate,#serpvidansrr.uipolish .mc_vtvc_meta_channel,#serpvidansrr.uipolish #vidans2
.b_videocard .video_metadata .video_source{color:#767676}#serpvidansrr #vidans2 .b_videocard
.video_metadata_container,#serpvidansrr #vidans2 .b_videocard .video_metadata_container
.video_metadata>h3{width:100%}@media(max-width:1362.9px){#serpvidansrr
.mmgrid>div{width:168px;height:206px}#serpvidansrr .mmgrid>div .cico,#serpvidansrr .mmgrid>div .cico
.rms_img{width:168px;height:100px}#serpvidansrr .mc_vtvc .mc_vtvc_meta{padding:12px}#serpvidansrr
.mc_vtvc .mc_vtvc_title{height:32px;line-height:16px;margin-bottom:16px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta_block_area{height:34px}#serpvidansrr
.mc_vtvc_meta_row{line-height:15px;font-size:13px;height:15px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:4px}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:114px}#serpvidansrr #vidans2 .b_videocard .videoPlayer,#serpvidansrr #vidans2 .b_videocard
.videoPlayer .cico,#serpvidansrr #vidans2 .b_videocard .videoPlayer .cico
.rms_img{width:343px!important;height:194px!important;margin-right:0} @media(max-width:1274.9px){#s
erpvidansrr .mmgrid>div{width:124px;height:164px}#serpvidansrr .mmgrid>div .cico,#serpvidansrr
.mmgrid>div .cico .rms_img{width:124px;height:76px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta{padding:8px}#serpvidansrr .mc_vtvc
.mc_vtvc_title{height:32px;line-height:16px;margin-bottom:12px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta_block_area{height:28px}#serpvidansrr
.mc_vtvc_meta_row{line-height:13px;font-size:11px;height:13px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:2px}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:96px}#serpvidansrr #vidans2 .b_videocard .videoPlayer,#serpvidansrr #vidans2 .b_videocard
.videoPlayer .cico,#serpvidansrr #vidans2 .b_videocard .videoPlayer .cico
.rms_img{width:256px!important;height:144px!important;margin-right:0}#serpvidansrr .maskthumb
.mc_bc_w{padding:8px 4px 4px 8px}#serpvidansrr.withsplitline
.mmgrid>div:nth-last-child(1),#serpvidansrr.withsplitline
```

Transmission distance of a single-core optical cable

```

.mmgrid>div:nth-child(2){margin-bottom:24px}#serpvidansrr.withsplitline .mmgrid{border-bottom:1px
solid #ecec;#margin-bottom:16px}#serpvidansrr #vidans2 .b_videocard
.video_metadata{max-width:auto;padding:12px 16px}#serpvidansrr #vidans2
.b_videocard{margin-bottom:12px;box-shadow:0 0 1px rgba(0,0,0,.05),0 2px 3px
rgba(0,0,0,.1);border-radius:6px}#serpvidansrr .b_rich{padding-top:0}#serpvidansrr #vidans2
.videoPlayer{border-radius:6px 6px 0 0;overflow:hidden}#serpvidansrr #vidans2 .b_videocard
.video_metadata>h3{white-space:nowrap;overflow:hidden;text-overflow:ellipsis;-webkit-line-clamp:1;line-he
ight:15px;height:15px;font-size:13px;color:#000;margin-bottom:20px;font-family:var(--bing-smtc-text-style-d
efault-regular-font-family);font-style:normal;display:block}#serpvidansrr.vsarr1stbig #vidans2 .b_videocard
.video_metadata .actionmenu{display:none}#serpvidansrr #vidans2 .b_videocard
.video_summary,#serpvidansrr #vidans2 .b_videocard .video_source{line-height:15px}#serpvidansrr #vidans2
.b_videocard .videoPlayer .vtbc{right:0}.vrhc.inline.nhvpv .pffvi,.vrhc.inline.nhvpv[data-tps="S"]
.pffvt,.vrhc.inline.nhvpv[data-tps="M"] .pffvt,.vrhc.inline.nhvpv[data-tps="L"]
.pffvt{display:inline-flex}.vrhc.inline.nhvpv .vrhct.pffv .vrhol{display:none}.vrhc.inline.nhvpv .vrhct.pffv
.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color
.5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);ga
p:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.mc_vtvc_th img{transition:all
var(--smtc-duration-medium-01) var(--bing-smtc-animation-ease-default)}.nhvpv+.mc_vtvc_th
img{transform:scale(1.1)}.smtplayerhtml5{height:100%;width:100%;overflow:hidden}.smtplayerhtml5
video{min-height:100%;min-width:100%}.smtplayerhtml5
.videoplaying{background-color:#000}.smtplayerhtml5.hide{display:none}.pffvt{display:none;color:var(--ma
i-smtc-foreground-ctrl-on-image-rest);font:var(--bing-smtc-text-global-subtitle2-strong)}.pffvi{mask:url(/rp/ui
07wU6K7FR_inzG7DRbP1i8fGo.svg) center
no-repeat;mask-size:12px;background:var(--bing-smtc-background-card-on-image-default);width:20px;height
:20px;flex-shrink:0;align-self:flex-start}[data-tps="L"]
.pffvt{font:var(--bing-smtc-text-global-subtitle2-strong)}[data-tps="L"]
.pffvi{width:22px;height:22px;mask-size:16px}[data-tps="S"] .pffvt{font-size:0}[data-tps="S"]
.pffvi{width:24px;height:24px;mask-size:24px;align-self:center}.hvpv.h5s
.pffvt{display:inline-flex}.hvpv.h5s .vrhct.pffv .vrhol{display:none}.hvpv.h5s .vrhct.pffv
.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color
.5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);ga
p:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.pffvt{text-decoration:underline}.vrhctp
.vrhol{position:absolute;width:100%;height:35px;max-height:35px;bottom:0;left:0;padding:0;background:non
e;display:block;z-index:9}.vrhctp .vrhol.hide,.vrhctp .vrhol
.hide{display:none}.vrhot{white-space:nowrap;text-overflow:ellipsis;overflow:hidden;display:inline-block;po
sition:absolute;max-width:240px;height:18px;line-height:14px;margin-left:8px;top:10px;left:0;right:0;border-
radius:2px;padding-right:8px}.vrhot
div{display:inline-block}.vrhot.cont{color:#fff;font-size:11px;font-weight:bold;background-color:rgba(0,0,0,.
75);padding:2px 8px;margin-left:0;top:0;box-sizing:border-box;position:relative}.vrhc
.ricons{position:absolute;right:8px;top:10px;left:auto;bottom:auto;height:18px;display:inline-block;cursor:poi

```

Transmission distance of a single-core optical cable

```

nter}.vrhol.icons_1      .vrhot{margin-right:27px}.vrhol.icons_2      .vrhot{margin-right:49px}.vrhol.icons_3
.vrhot{margin-right:79px}.vrhol      .vrhot.cont,.vsb_tr_chd      .vrhol.icons_1
.vrhot{margin-right:0}.vpb{position:absolute;display:block;bottom:0;left:0;height:4px}.vpb
div{position:absolute}.vpb.cont{width:0;background:#fff}.vpb.cont.test{display:none}.vpb.back{background
-color:#999}.vrhcp      .vrhol.npb{height:36px;max-height:36px}.vrhol
.vadda{width:22px;height:18px;padding:0;margin-right:0;margin-left:2px;bottom:0;position:relative;display:i
nline-block;z-index:1;background:rgba(0,0,0,.75);border-radius:2px;overflow:hidden}.vrhol
.vadda.hide{display:none}.vrhol      .vadda      .mc_vfaa{margin:3px      5px}.ricons      .vol{float:left}.ricons
.adultFlag{float:right}.vol{width:22px;height:18px;bottom:0;margin-left:1px;margin-right:1px;position:relati
ve;display:inline-block}.vol.hide,.vol      .hide{display:none}.vol
.bg{background:rgba(0,0,0,.75);border-radius:2px}.vol.bg,.vol.cont{position:absolute;bottom:0}.vol
.vol.bg.volnb{border-radius:0 0 2px 2px}.vol      .volsliderHandle.bg{border-radius:2px 2px 0 0}.vol.cont
.volsliderHandle{height:70px;display:none;width:22px;float:left;bottom:18px;position:absolute;display:block
}.vol.cont      .volsliderHandle.hide{display:none}.volsliderHandle
.vsb{height:54px;width:4px;background-color:#999;margin:9px      auto
8px;position:relative;display:block;border-radius:2px}.volsliderHandle
.vsh{height:6px;width:14px;padding:9px      7px      9px      7px;margin:0
-12px;display:block;position:absolute;top:30px}.volsliderHandle      .vsh.hide{display:none}.volsliderHandle
.vshi{height:4px;width:14px;background-color:#fff;border-radius:2px}.volMuteIcon{width:16px;height:14px;
margin:2px
4px;float:left}.volMuteHandle{width:22px;height:18px}.vo{background:url(/rp/fFZxBXEIP9WYOO0jhTaEl
yLhEVU.svg)      no-repeat}.vm{background:url(/rp/fsX-ZVd03wB2TL0vmQJxSp4U9vs.svg)
no-repeat}.vl{background:url(/rp/YXYMPC1Rry_XJGc7Yg8lR4B2eEs.svg)
no-repeat}.vf{background:url(/rp/NosrlR4amKTs1zYxWy3laZN3HRk.svg)
no-repeat}@media(forced-colors:active){.vol{forced-color-adjust:none}}.vrhc.inline      .vt_vp,.vrhc.popout
.vt_vp,.vrhc.mousefollow
.vt_vp{position:absolute;bottom:0;border:hidden;padding:0;top:0;left:0;z-index:3}.vrhtc
.hide{display:none}.vrh_clc      .vt_vp,.vrh_clc      .vrhtc      .vrhi,.vrh_clc      .player_ol{cursor:pointer}.vrh_clc
.cico{border-radius:0}.vrhtc{border:hidden;top:0;left:0;padding:0}.vrhc.mousefollow      .vrhtc,.vrhc.popout
.vrhtc{background-color:#999}.vrhtpc.load
.player_ol{background:url(/rp/J_o2maogFDeUOsovPJL-ofEuxJ4.gif)      center      center      no-repeat}.vrhc.inline
.vrhtc      .vrhi,.vrhc.popout      .vrhtc      .vrhi,.vrhc.mousefollow      .vrhtc
.vrhi{position:absolute!important;border:hidden;z-index:2;padding:0;left:0;top:0}.player_ol{position:absolute
;width:100%;height:100%;bottom:0;border:hidden;z-index:7}.vrhc.popout,.vrhc.inline,.vrhc.mousefollow{bor
der-radius:6px;overflow:hidden;display:table-row-group;background:none}.vrhc.popout,.vrhc.mousefollow{z
-index:4;box-shadow:0      4px      4px      rgba(0,0,0,.1),0      2px      80px
rgba(0,0,0,.2)}.vrhc.inline{z-index:1;margin:0}.vrhc.popout,.vrhc.inline{position:absolute;top:0}.vrhc.popout
{border:1px      solid
#fff}.vrhc.mousefollow{position:fixed}.vrhcp{position:relative;top:0;left:0;display:table-row}.vrhcp
.vrhtc{position:relative;overflow:hidden}.vrhc.hide{display:none}@keyframes

```

Transmission distance of a single-core optical cable

vh_fadein{from{opacity:0}to{opacity:1}}.vrhc:not(.hide){animation:vh_fadein 250ms}.vrhc:inline
img{color:transparent}.vrhc:inline.fullsize{height:100%}.vrhc,.vrhc:hover,.vrhc:link,.vrhc:active,.vrhc:visited
{color:#000;text-decoration:none}.vrhc.vrh_clc{cursor:pointer}a.hover-anchor{display:block;height:100%;wi
dth:100%;text-decoration:none}.vrhstat{height:0;overflow:hidden}Videos of Transmission Distance Of A
Single-Core Optical Cablemore videosWatch video9:57Fiber Optic Cable Interconnection Explained:
Structure, Connection, and Data TransmissionYouTubeSound & Audio Reference28 views5 months
agoWatch video5:11Fiber Optic Networking Lesson 1: How to Choose the Right Fiber Optic Cable -A
Beginner"s GuideYouTubeFASTCABLING21.2K viewsApr 15, 2025Watch video6:52fiber optic
cablesYouTubeElectrical Site Engineer36 views1 month agoWatch full videoWikipediaSingle-mode optical
fiber - WikipediaAs of 2005, data rates of up to 10 gigabits per second were possible at distances of over 80
km (50 mi) with commercially available transceivers (Xenpak).

Let"s take a look at the transmission distance and principle of single-mode optical fiber.

Single-mode fiber (SMF) supports distances up to 40-100+ kilometers for standard applications, while multimode fiber (MMF) is typically limited to 300 meters to 2 kilometers. The

Web: <https://www.kremgroup.co.za>

